CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)

Cite this: *Environ. Sci.: Water Res. Technol.*, 2016, 2, 894

Correction: Cyanobacterial management in full-scale water treatment and recycling processes: reactive dosing following intensive monitoring

Arash Zamyadi,^{*ab} Rita K. Henderson,^b Richard Stuetz,^a Gayle Newcombe,^c Kelly Newton^c and Brendan Gladman^d

DOI: 10.1039/c6ew90017h

rsc.li/es-water

Correction for 'Cyanobacterial management in full-scale water treatment and recycling processes: reactive dosing following intensive monitoring' by Arash Zamyadi *et al.*, *Environ. Sci.: Water Res. Technol.*, 2016, 2, 362–375.

The last name of the fifth author, Kelly Newton, was spelt incorrectly in the original article. The correct spelling is as shown above.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a UNSW Water Research Centre, School of Civil and Environmental Engineering, The University of New South Wales, Sydney, New South Wales, 2052, Australia.
E-mail: a.zamyadi@unsw.edu.au; Tel: +61 (4) 3773 1414

^b bioMASS Lab, School of Chemical Engineering, The University of New South Wales, Sydney, New South Wales, 2052, Australia

^c Australian Water Quality Centre (AWQC) – South Australian Water Corporation (SA Water), Adelaide, South Australia, 5000, Australia

^d Melbourne Water, Melbourne, Victoria, 3008, Australia