



Cite this: *Nanoscale*, 2016, 8, 12843

Correction: Stimuli-responsive magnetic nanoparticles for tumor-targeted bimodal imaging and photodynamic/hyperthermia combination therapy

Kyoung Sub Kim,^a Jiyoung Kim,^a Joo Young Lee,^a Shofu Matsuda,^b Sho Hideshima,^c Yasuhiro Mori,^d Tetsuya Osaka^{*b,c} and Kun Na^{*a}

DOI: 10.1039/c6nr90122k

www.rsc.org/nanoscale

Correction for 'Stimuli-responsive magnetic nanoparticles for tumor-targeted bimodal imaging and photodynamic/hyperthermia combination therapy' by Kyoung Sub Kim, *et al.*, *Nanoscale*, 2016, DOI: 10.1039/c6nr02273a.

The authors wish to bring to the reader's attention that Fig. 1(f) in the original paper and the corresponding graphical abstract image are incorrect. The corrected version of Fig. 1 (and the graphical abstract image) is as shown below:




Fig. 1 Water solubility images of (a) MNP10 and (b) MNP40 before and after coating with AHP. Size distribution of (c) AHP@MNP10 (average size: 108.13 ± 1.08 nm) and (d) AHP@MNP40 (average size: 222.37 ± 5.05 nm). TEM images of (e) AHP@MNP10 and (f) AHP@MNP40.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Biotechnology, The Catholic University of Korea, 43 Jibong ro, Wonmi-gu, Bucheon-si, Gyeonggi do, 420-743, Republic of Korea. E-mail: kna6997@catholic.ac.kr

^bGraduate School of Advanced Science and Engineering, Waseda University, 3-4-1 Okubo, Shinjuku-ku, Tokyo, 169-8555, Japan. E-mail: osakatets@waseda.jp

^cResearch Organization for Nano & Life Innovation, Waseda University, 513 Waseda-tsurumaki-cho, Shinjuku-ku, Tokyo, 162-0041, Japan

^dCUK-WASEDA Center for Nanotech Research, The Catholic University of Korea, 43 Jibong ro, Wonmi-gu, Bucheon-si, Gyeonggi do, 420-743, Republic of Korea

