CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)
Cite this: *Nanoscale*, 2016, 8, 16787

Correction: Composition-dependent Raman modes of $\text{Mo}_{1-x}\text{W}_x\text{S}_2$ monolayer alloys

Yanfeng Chen,^a Dumitru O. Dumcenco,^b Yiming Zhu,^a Xin Zhang,^c Nannan Mao,^{a,d} Qingliang Feng,^{a,d} Mei Zhang,^a Jin Zhang,^d Ping-Heng Tan,^c Ying-Sheng Huang^{*b} and Liming Xie^{*a}

DOI: 10.1039/c6nr90195f

www.rsc.org/nanoscale

Correction for 'Composition-dependent Raman modes of $\text{Mo}_{1-x}\text{W}_x\text{S}_2$ monolayer alloys' by Yanfeng Chen et al., *Nanoscale*, 2014, 6, 2833–2839.

The authors would like to bring a corrected Table 1 to the attention of the readers:

Table 1 MREI-model parameters for $\text{Mo}_{1-x}\text{W}_x\text{S}_2$ monolayer and bulk alloys (note F is in 10^6 amu cm^{-2})

Fitted parameters	A'_1 (1 L) or A_{1g} (bulk)			$E'(1 \text{ L})$ or E_{2g}^{-1} (bulk)				
	F_{10}	F_{20}	θ_1	F_{30}	F_{40}	F_{50}	θ_2	θ_3
Monolayer	5.162	5.371	−0.039	2.840	4.803	12.08	0.375	−0.052
Bulk	5.297	4.916	−0.147	2.812	4.801	12.06	0.387	−0.064

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aCAS Key Laboratory of Standardization and Measurement for Nanotechnology, National Center for Nanoscience and Technology, Beijing 100190, P. R. China. E-mail: xielm@nanoctr.cn; Tel: +86-010 8254 5692

^bDepartment of Electronic Engineering, National Taiwan University of Science and Technology, Taipei 106, Taiwan, Republic of China. E-mail: ysh@mail.ntust.edu.tw

^cState Key Laboratory of Superlattices and Microstructures, Institute of Semiconductors, Chinese Academy of Sciences, Beijing 100083, China

^dCenter for Nanochemistry, College of Chemistry and Molecular Engineering, Peking University, Beijing 100871, China