Nanoscale



CORRECTION

View Article Online
View Journal | View Issue



Cite this: Nanoscale, 2016, 8, 19176

Correction: Ultra-efficient, widely tunable gold nanoparticles-based fiducial markers for X-ray imaging

G. Maiorano, ^{a,b} E. Mele, ^{c,d} M. C. Frassanito, ^e E. Restini, ^e A. Athanassiou ^c and P. P. Pompa*^{a,b}

DOI: 10.1039/c6nr90242a

www.rsc.org/nanoscale

Correction for 'Ultra-efficient, widely tunable gold nanoparticles-based fiducial markers for X-ray imaging' by Gabriele Maiorano, et al., Nanoscale, 2016, DOI: 10.1039/c6nr07021c.

The authors would like to correct the acknowledgement given in the section relating to the animal implantation and *in vivo* CT acquisition. The sentence "These experiments were performed in compliance with the relevant laws and institutional guidelines; the study was approved by the ethical committee of the Center of Preclinical Imaging – University of Torino" should have been given as "These experiments were performed in compliance with the relevant laws and institutional guidelines; the study was approved by the Italian Ministry of Health".

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

aNanobiointeractions & Nanodiagnostics, Istituto Italiano di Tecnologia (IIT), Via Morego 30, 16163 Genoa, Italy. E-mail: pierpaolo.pompa@iit.it

^bCenter for Bio-Molecular Nanotechnologies, Istituto Italiano di Tecnologia, Via Barsanti, 73010 Arnesano (Lecce), Italy

^cSmart Materials, Nanophysics Department, Istituto Italiano di Tecnologia (IIT), Via Morego 30, 16163 Genoa, Italy

^dDepartment of Materials, Loughborough University, Leicestershire LE11 3TU, UK

^eMater Dei Hospital, C.B.H. Città di Bari Hospital s.p.a., Via Hahnemann 10, 70126 Bari, Italy