



Cite this: *Nanoscale*, 2016, **8**, 19176

Correction: Ultra-efficient, widely tunable gold nanoparticles-based fiducial markers for X-ray imaging

G. Maiorano,^{a,b} E. Mele,^{c,d} M. C. Frassanito,^e E. Restini,^e A. Athanassiou^c and P. P. Pompa^{*a,b}

DOI: 10.1039/c6nr90242a

www.rsc.org/nanoscale

Correction for 'Ultra-efficient, widely tunable gold nanoparticles-based fiducial markers for X-ray imaging' by Gabriele Maiorano, *et al.*, *Nanoscale*, 2016, DOI: 10.1039/c6nr07021c.

The authors would like to correct the acknowledgement given in the section relating to the animal implantation and *in vivo* CT acquisition. The sentence "These experiments were performed in compliance with the relevant laws and institutional guidelines; the study was approved by the ethical committee of the Center of Preclinical Imaging – University of Torino" should have been given as "These experiments were performed in compliance with the relevant laws and institutional guidelines; the study was approved by the Italian Ministry of Health".

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aNanobiointeractions & Nanodiagnostics, Istituto Italiano di Tecnologia (IIT), Via Morego 30, 16163 Genoa, Italy. E-mail: pierpaolo.pompa@iit.it

^bCenter for Bio-Molecular Nanotechnologies, Istituto Italiano di Tecnologia, Via Barsanti, 73010 Arnesano (Lecce), Italy

^cSmart Materials, Nanophysics Department, Istituto Italiano di Tecnologia (IIT), Via Morego 30, 16163 Genoa, Italy

^dDepartment of Materials, Loughborough University, Leicestershire LE11 3TU, UK

^eMater Dei Hospital, C.B.H. Città di Bari Hospital s.p.a., Via Hahnemann 10, 70126 Bari, Italy

