



CrossMark
click for updates

Cite this: *RSC Adv.*, 2016, 6, 31135

Correction: A novel approach for detection and quantification of magnetic nanomarkers using a spin valve GMR-integrated microfluidic sensor

J. Devkota,^{†ab} G. Kokkinis,^{†a} T. Berris,^a M. Jamalieh,^a S. Cardoso,^c F. Cardoso,^c
H. Srikanth,^b M. H. Phan^{*b} and I. Giouroudi^{*a}

DOI: 10.1039/c6ra90029a

www.rsc.org/advances

Correction for 'A novel approach for detection and quantification of magnetic nanomarkers using a spin valve GMR-integrated microfluidic sensor' by J. Devkota *et al.*, *RSC Adv.*, 2015, 5, 51169–51175.

A footnote should have appeared for the first two authors stating that they contributed equally to this work. This footnote is presented herein.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aInstitute of Sensor and Actuator Systems, Vienna University of Technology, Austria. E-mail: ioanna.giouroudi@tuwien.ac.at

^bDepartment of Physics, University of South Florida, USA. E-mail: phanm@usf.edu

^cINESC Microsistemas y Nanotecnologias, Lisboa, Portugal

[†] These authors contributed equally to this work.

