CORRECTION

 View Article Online
View Journal | View Issue
Cite this: *RSC Adv.*, 2016, 6, 53288

DOI: 10.1039/c6ra90043g

www.rsc.org/advances

Correction: Influence of calcination temperatures on the formation of anatase TiO₂ nano rods with a polyol-mediated solvothermal method

Marwa Fathy,^{*a} Hesham Hamad^{*bc} and Abd El Hady Kashyout^aCorrection for 'Influence of calcination temperatures on the formation of anatase TiO₂ nano rods with a polyol-mediated solvothermal method' by Marwa Fathy *et al.*, *RSC Adv.*, 2016, 6, 7310–7316.

In the original manuscript, the references from which Fig. 1 was adapted were omitted from the Fig. 1 caption. The revised Fig. 1 caption is given below.

Fig. 1 Schematic pathway for TiO₂ nano-powder production (adapted from ref. 21 and ref. 24).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aElectronic Materials Department, Advanced Technology and New Materials Research Institute (ATNMRI), City of Scientific Research and Technology Applications (SRTA-City), New Borg El-Arab City, P.O. Box 21934, Alexandria, Egypt. E-mail: mrwfathy@gmail.com; Fax: +20-03-4593414; Tel: +20-03-4598000

^bDepartamento de Química Inorgánica, Facultad de Ciencias, Universidad de Granada, 18071 Granada, Spain

^cFabrication Technology Department, Advanced Technology and New Materials Research Institute(ATNMRI), City of Scientific Research and Technology Applications (SRTA-City), New Borg El-Arab City, P.O. Box 21934, Alexandria, Egypt