

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)Cite this: *RSC Adv.*, 2016, **6**, 59600DOI: 10.1039/c6ra90055k  
[www.rsc.org/advances](http://www.rsc.org/advances)**Correction: Fabrication, characterization, bioactivity, and biocompatibility of novel mesoporous calcium silicate/polyetheretherketone composites**G. F. Hu,<sup>a</sup> R. F. Quan,<sup>b</sup> Y. M. Chen,<sup>a</sup> D. W. Bi,<sup>\*a</sup> X. S. Jiang,<sup>c</sup> X. F. Li<sup>c</sup> and J. Y. Li<sup>\*c</sup>Correction for 'Fabrication, characterization, bioactivity, and biocompatibility of novel mesoporous calcium silicate/polyetheretherketone composites' by Gangfeng Hu *et al.*, *RSC Adv.*, 2016, **6**, 57131–57137.

A funding source and its associated number were inadvertently omitted and the revised Acknowledgements section should read:

This study was supported by grants from Zhejiang Provincial Natural Science Foundation of China (LY15E020001), Medical Scientific Research Foundation of Zhejiang Province (2014PYA021) and Medical and health project in Zhejiang Province (2014KYB224).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>*The First People's Hospital of Xiaoshang, Hangzhou 311200, China. E-mail: 13758191112@163.com*<sup>b</sup>*Xiaoshang Hospital of Traditional Chinese Medicine, Hangzhou 311200, China*<sup>c</sup>*Orthopedics Department, Huzhou Central Hospital, 198 Hongqi Road, Huzhou 313000, China. E-mail: liywn1977@126.com*