


 Cite this: *RSC Adv.*, 2016, 6, 105270

Correction: Enhanced upconversion luminescence and modulated paramagnetic performance in NaGdF₄:Yb,Er by Mg²⁺ tridoping

 Shuwen Zhao,^a Wei Liu,^b Xianya Xue,^c Yushi Yang,^c Zhiyong Zhao,^d Youfa Wang*^c and Bin Zhou*^a

DOI: 10.1039/c6ra90107g

www.rsc.org/advances

 Correction for 'Enhanced upconversion luminescence and modulated paramagnetic performance in NaGdF₄:Yb,Er by Mg²⁺ tridoping' by Shuwen Zhao *et al.*, *RSC Adv.*, 2016, 6, 81542–81551.

The authors wish to amend the image for Fig. 3 shown in their original article, which omits the TEM images described in the figure caption. The corrected image is shown below.

^aSchool of Materials Science and Engineering, Wuhan University of Technology, Wuhan 430070, P. R. China

^bSchool of Foreign Languages, Central China Normal University, Wuhan 430079, P. R. China

^cState Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, P. R. China. E-mail: wangyoufa@whut.edu.cn; Fax: +86-27-87880734; Tel: +86-27-87651852

^dState Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, P. R. China





Fig. 3 TEM characterization of various concentrations of Mg^{2+} -doped $\text{NaGdF}_4:\text{Yb}^{3+},\text{Er}^{3+}$ nanocrystals indicating the morphology and histograms of their size distribution (>200 particles). (a) 0, (b) 3 mol%, (c) 7 mol%, (d) 13.5 mol%. The insets are corresponding HRTEM images.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

