


 CrossMark
click for updates
Cite this: *RSC Adv.*, 2016, 6, 113712

Correction: Influence of silk–silica fusion protein design on silica condensation *in vitro* and cellular calcification

 Robyn Plowright,^a Nina Dinjaski,^b Shun Zhou,^b David J. Belton,^a David L. Kaplan^{*b}
and Carole C. Perry^{*a}

DOI: 10.1039/c6ra90119k

www.rsc.org/advances

 Correction for 'Influence of silk–silica fusion protein design on silica condensation *in vitro* and cellular calcification' by Robyn Plowright *et al.*, *RSC Adv.*, 2016, 6, 21776–21788.

A corrected version of Fig. 6 is provided below:




Fig. 6 SEM images of human mesenchymal stem cells grown on recombinant silk and silk–silica films. hMSC were grown on pre-silicified recombinant nh-15mer, nh-15mer-R5, 15mer-ch and R5-15mer-ch films. Osteogenesis was induced and cells were imaged 8 weeks post-seeding. Scale bars are 10 μm.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aBiomolecular and Materials Interface Research Group, Interdisciplinary Biomedical Research Centre, School of Science and Technology, Nottingham Trent University, Clifton Lane, Nottingham, UK NG11 8NS. E-mail: carole.perry@ntu.ac.uk; Tel: +44 (0)115 84 86695

^bDepartment of Biomedical Engineering, Tufts University, 4 Colby Street, Medford, Massachusetts, 02155, USA. E-mail: David.Kaplan@Tufts.edu; Fax: +1 617 627 3231; Tel: +1 617 626 3251

