Chemical Science



CORRECTION

View Article Online
View Journal | View Issue



Correction: Base pairing involving artificial bases in vitro and in vivo

Cite this: Chem. Sci., 2016, 7, 1611

Omprakash Bande,^b Darren Braddick,^a Stefano Agnello,^b Miyeon Jang,^b Valérie Pezo,^a Guy Schepers,^b Jef Rozenski,^b Eveline Lescrinier,^b Philippe Marlière^a and Piet Herdewijn*^{ab}

DOI: 10.1039/c5sc90070k

www.rsc.org/chemicalscience

Correction for 'Base pairing involving artificial bases *in vitro* and *in vivo*' by Omprakash Bande *et al., Chem. Sci.*, 2016. DOI: 10.1039/c5sc03474d.

In this manuscript, the captions of Fig. 10 and Fig. 11 were mistakenly swapped. The correct legends should read:

Fig. 10 The *in vivo* interpretation of the 8-Oxo-dI nucleotide within the essential thyA gene. The normalized ratio is the experimentally derived average number of thymidine-prototrophic colonies (bla⁺ thyA⁺) from the average total number of colonies (bla⁺ thyA⁻ and bla⁺ thyA⁺). The modified section of the oligomer sequence indicates the position of the 8-Oxo-dI nucleotide/s, for single (left) and double (right) codons.

Fig. 11 The *in vivo* interpretation of the 8-Oxo-dG nucleotide (top) and 8-Oxo-dA nucleotide (bottom) within the essential thyA gene. The normalized ratio is the experimentally derived average number of thymidine-prototrophic colonies (bla⁺ thyA⁺) from the average total number of colonies (bla⁺ thyA⁻ and bla⁺ thyA⁺). The modified section of the oligomer sequence indicates the position of the 8-Oxo-dG and 8-Oxo-dA nucleotide/s.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

[&]quot;iSSB - CNRS FRE3561, University of Evry-Val-d'Essonne, 5 rue Henri Desbruères, Genopole Campus 1, Bât. 6, F-91030 Évry Cedex, France. E-mail: piet.herdewijn@rega. kuleuven.be; Tel: +32 16 337387

^bMedicinal Chemistry, Rega Institute for Medical Research, KU Leuven, Minderbroedersstraat 10, 3000 Leuven, Belgium