



Cite this: *Soft Matter*, 2016, 12, 8448

DOI: 10.1039/c6sm90156e

[www.rsc.org/softmatter](http://www.rsc.org/softmatter)

## Correction: Frustrated phases under three-dimensional confinement simulated by a set of coupled Cahn–Hilliard equations

Edgar Avalos,<sup>\*a</sup> Takeshi Higuchi,<sup>\*b</sup> Takashi Teramoto,<sup>\*c</sup> Hiroshi Yabu<sup>\*a</sup> and Yasumasa Nishiura<sup>\*a</sup>

Correction for 'Frustrated phases under three-dimensional confinement simulated by a set of coupled Cahn–Hilliard equations' by Edgar Avalos *et al.*, *Soft Matter*, 2016, **12**, 5905–5914.

Eqn (1) presented a typo in the integral. Please see below for the correct equation:

$$F \equiv F_{\varepsilon_u, \varepsilon_v, \sigma}(u, v) = \int_{\Omega} \left\{ \frac{\varepsilon_u^2}{2} |\nabla u|^2 + \frac{\varepsilon_v^2}{2} |\nabla v|^2 + W(u, v) + \frac{\sigma}{2} \left| (-\Delta)^{-\frac{1}{2}}(v - \bar{v}) \right|^2 \right\} \mathrm{d}r$$

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> WPI-Research Center, Advanced Institute for Materials Research, Tohoku University, 2-1-1 Katahira, Aoba-ku, Sendai 980-8577, Japan

<sup>b</sup> Institute of Multidisciplinary Research for Advanced Materials, Tohoku University, 2-1-1 Katahira, Aoba-ku, Sendai 980-8577, Japan

<sup>c</sup> Department of Mathematics, Asahikawa Medical University, 2-1-1-1, Midorigaoka-higashi, Asahikawa 078-8510, Japan

