



Cite this: *Phys. Chem. Chem. Phys.*, 2017, **19**, 10698

DOI: 10.1039/c7cp90075a

rsc.li/pccp

## Correction: Energetics, barriers and vibrational spectra of partially and fully hydrogenated hexagonal boron nitride

J. M. H. Kroes,\* A. Fasolino and M. I. Katsnelson

Correction for 'Energetics, barriers and vibrational spectra of partially and fully hydrogenated hexagonal boron nitride' by J. M. H. Kroes *et al.*, *Phys. Chem. Chem. Phys.*, 2016, **18**, 19359–19367.

We would like to inform the reader of a correction that needs to be made to our previous publication. The bending rigidity,  $\kappa$ , is incorrectly reported to be 1.26 eV on page 19364 and in a label in Fig. 9. The correct value is 0.96 eV.

Thus the correct sentence should read "For pristine h-BN  $\kappa$  is found to be 0.96 eV."

The corrected version of Fig. 9 is given below.




Fig. 9 Dependence of the ZA mode for pristine h-BN near  $\Gamma$  (M direction) on  $q$  (left) or  $q^2$  (right). In black, results for the optimized cell showing  $\omega \propto q^2$ . The red curve shows the  $\omega \propto q$  behaviour in a 0.2% larger cell.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

