



Cite this: *Phys. Chem. Chem. Phys.*, 2017, **19**, 16281

DOI: 10.1039/c7cp90125a

rsc.li/pccp

Correction: Preparation of Mo nanopowders through electroreduction of solid MoS_2 in molten $\text{KCl}-\text{NaCl}$

Haiping Gao,^a Mingsheng Tan,^a Liangbin Rong,^a Zhiyong Wang,^a Junjun Peng,^a Xianbo Jin*^a and George Z. Chen^{ab}

Correction for 'Preparation of Mo nanopowders through electroreduction of solid MoS_2 in molten $\text{KCl}-\text{NaCl}$ ' by Haiping Gao et al., *Phys. Chem. Chem. Phys.*, 2014, **16**, 19514–19521.

The authors would like to replace Fig. 4 in their article with the amended version shown below to correct an error in the published version.




Fig. 4 XRD patterns of the products obtained by potentiostatic electrolysis of the MoS_2 pellets at the indicated potentials for different times (700 °C $\text{NaCl}-\text{KCl}$ melt). Each MoS_2 pellet was 0.3 g except the -0.95 V one, which was 1.45 g.

This change does not affect the discussion or conclusions in the article.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a College of Chemistry and Molecular Sciences, Wuhan University, Wuhan, 430072, P. R. China

^b Department of Chemical and Environmental Engineering, and Energy and Sustainability Research Division, Faculty of Engineering, University of Nottingham, Nottingham, NG7 2RD, UK. E-mail: xbjin@whu.edu.cn; Fax: +86 27 68756319; Tel: +86 27 68756319

