Lab on a Chip

CORRECTION

View Article Online
View Journal | View Issue

Cite this: *Lab Chip*, 2017, **17**, 567

Correction: Double-emulsion drops with ultra-thin shells for capsule templates

Shin-Hyun Kim,[a] Jin Woong Kim,[b] Jun-Cheol Cho[c] and David A. Weitz*[a]

DOI: 10.1039/c6lc90129h

www.rsc.org/loc

Correction for 'Double-emulsion drops with ultra-thin shells for capsule templates' by Shin-Hyun Kim *et al.*, *Lab Chip*, 2011, **11**, 3162–3166.

In the section "Diameter and shell thickness of double-emulsion drops" there are errors in eqn (2) and in the sentence that begins "In the same fashion, we calculate the thickness of the middle layer of double-emulsion drops which are produced at each values of Q_1/Q_2 and plot the results in Fig. 3c". The equation should be

$$\frac{t}{R} = 1 - \left(1 + \frac{Q_2}{Q_1}\right)^{-1/3}.$$

The sentence should read "In the same fashion, we calculate the thickness of the middle layer of double-emulsion drops which are produced at each values of Q_2/Q_1 and plot the results in Fig. 3c".

In the caption for Fig. 3c, "Relative thickness of shell to radius of the double-emulsion drops (t/R) as a function of Q_1/Q_2." should read "Relative thickness of shell to radius of the double-emulsion drops (t/R) as a function of Q_2/Q_1." In addition, the x-axis is incorrectly labelled with "Q_1/Q_2". The x-axis should be "Q_2/Q_1". A corrected version of Fig. 3c is shown.



Fig. 3 (c) Relative thickness of shell to radius of the double-emulsion drops (t/R) as a function of Q_2/Q_1.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

[a] *School of Engineering and Applied Sciences and Department of Physics, Harvard University, Cambridge, Massachusetts, USA. E-mail: weitz@seas.harvard.edu; Tel: +1 617 495 3275*
[b] *Department of Applied Chemistry, Hanyang University, Ansan, South Korea*
[c] *Amore-Pacific Co. R&D Center, Yongin, South Korea*