



Cite this: *RSC Adv.*, 2017, 7, 52946

Correction: Mesoporous $\text{Ag}_1(\text{NH}_4)_2\text{PW}_{12}\text{O}_{40}$ heteropolyacids as effective catalysts for the esterification of oleic acid to biodiesel

Qiu-yun Zhang,^{*abc} Fang-fang Wei,^{ac} Qian Li,^a Jin-shu Huang,^a Yun-mei Feng^a and Yu-tao Zhang^a

DOI: 10.1039/c7ra90105d

www.rsc.org/advances

Correction for 'Mesoporous $\text{Ag}_1(\text{NH}_4)_2\text{PW}_{12}\text{O}_{40}$ heteropolyacids as effective catalysts for the esterification of oleic acid to biodiesel' by Qiu-yun Zhang *et al.*, *RSC Adv.*, 2017, 7, 51090–51095.

Fig. 4 in the published article was incorrect as the adsorption/desorption isotherms were not shown. A correct version of the figure is shown below:




Fig. 4 N_2 adsorption–desorption isotherms and pore size distribution (in the inset) of the AgN-PW catalyst.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aSchool of Chemistry and Chemical Engineering, Anshun University, Anshun 561000, Guizhou, China. E-mail: sci_qy Zhang@126.com

^bGuizhou University, Guiyang 550025, Guizhou, China

^cEngineering Technology Center of Control and Remediation of Soil Contamination of Provincial Science & Technology Bureau, Anshun, Guizhou, 561000, China. E-mail: weiff@iccas.ac.cn

