CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#) Cite this: *J. Mater. Chem. A*, 2017, 5, 1786

DOI: 10.1039/c7ta90011b

www.rsc.org/MaterialsA

Correction: Polymer-bound antioxidants in grafted membranes for fuel cells

Yves Buchmüller, Alexander Wokaun and Lorenz Gubler*

Correction for 'Polymer-bound antioxidants in grafted membranes for fuel cells' by Yves Buchmüller *et al.*, *J. Mater. Chem. A*, 2014, 2, 5870–5882.

There are errors in eqn (5) in the original article, the correct equation for the calculation of the theoretical ion exchange capacity (IEC) is:

$$\text{IEC}_{\text{theo}} = \frac{\text{GL}_{\text{tot}}}{\left(M_{\text{styrene}} + \frac{M_{\text{comonomer}}}{R_m}\right) (1 + \text{GL}_{\text{tot}}) + \text{GL}_{\text{tot}} \cdot M_{\text{SO}_3}}$$

where GL_{tot} is the graft level (in mass%) of styrene and comonomer, M_{styrene} is the molar mass of styrene (104.2 g mol^{-1}), $M_{\text{comonomer}}$ is the molar mass of the comonomer, M_{SO_3} is the molar mass of SO_3 (80.1 g mol^{-1}) and R_m is the molar ratio of styrene and comonomer in the graft component.

In the text of the article, the correct expression was used to calculate the degree of sulfonation of the various membranes.

There are also some errors in Table 4 of the original manuscript. The correct values for the molar fraction of styrene in the grafts, X_s , are given in the third column. Columns 4 to 8 are omitted for clarity.

Table 4 (partly shown) *Ex situ* properties for the different radiation grafted, post-functionalized and sulfonated membranes.

ETFE-g-P()	Graft level	X_s (mol%)
S	25	100
S/VBC (Tyr)	66	62 ± 2
S/GMA (Tyr)	35	73 ± 2
S/GMA (Tyr)	55	72 ± 3
S/GMA (diol)	35	73 ± 2
S/GMA (diol)	55	73 ± 3
Nafion NR212	—	—

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.