

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *Anal. Methods*, 2018, 10, 926

## Correction: Quantitative imaging of translocated silver following nanoparticle exposure by laser ablation-inductively coupled plasma-mass spectrometry

David P. Bishop,<sup>a</sup> Mandy Grossgarten,<sup>b</sup> Dörthe Dietrich,<sup>b</sup> Antje Vennemann,<sup>c</sup> Nerida Cole,<sup>d</sup> Michael Sperling,<sup>b</sup> Martin Wiemann,<sup>c</sup> Philip A. Doble<sup>\*a</sup> and Uwe Karst<sup>\*b</sup>

DOI: 10.1039/c8ay90014k

[www.rsc.org/methods](http://www.rsc.org/methods)

Correction for 'Quantitative imaging of translocated silver following nanoparticle exposure by laser ablation-inductively coupled plasma-mass spectrometry' by David P. Bishop *et al.*, *Anal. Methods*, 2018, DOI: 10.1039/c7ay02294h.

The authors regret that the incorrect affiliation was shown initially for Nerida Cole. The corrected list of author affiliations for this paper is as shown above.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>Elemental Bio-imaging Facility, University of Technology Sydney, Broadway, New South Wales, 2007, Australia. E-mail: [philip.doble@uts.edu.au](mailto:philip.doble@uts.edu.au)

<sup>b</sup>Institute of Inorganic and Analytical Chemistry, University of Münster, Corrensstr. 30, 48149 Münster, Germany. E-mail: [uk@uni-muenster.de](mailto:uk@uni-muenster.de)

<sup>c</sup>IBE R&D Institute for Lung Health gGmbH, Mendelstr. 11, 48149 Münster, Germany

<sup>d</sup>ARC Training Centre in Biodevices, Swinburne University of Technology, Hawthorn, Victoria, 3122, Australia

