Biomaterials Science



CORRECTION

View Article Online
View Journal | View Issue



Cite this: *Biomater. Sci.*, 2018, **6**, 2270

Correction: Therapy for cartilage defects: functional ectopic cartilage constructed by cartilage-simulating collagen, chondroitin sulfate and hyaluronic acid (CCH) hybrid hydrogel with allogeneic chondrocytes

Xianfang Jiang,†^a Junting Liu,†^{b,c} Qin Liu,†^b Zhenhui Lu,^{b,d,e} Li Zheng,*^{b,d,e} Jinmin Zhao^{b,d,e} and Xingdong Zhang^f

DOI: 10.1039/c8bm90029a rsc.li/biomaterials-science

Correction for 'Therapy for cartilage defects: functional ectopic cartilage constructed by cartilage-simulating collagen, chondroitin sulfate and hyaluronic acid (CCH) hybrid hydrogel with allogeneic chondrocytes' by Xianfang Jiang et al., Biomater. Sci., 2018, **6**, 1616–1626.

The authors regret that the corresponding author was not correctly identified in the original manuscript and on the landing page. The correct corresponding author for this manuscript is Li Zheng, as indicated here by the * symbol. Xianfang Jiang, Junting Liu and Qin Liu contributed equally to this work, but are not corresponding authors. The corrected list of authors for this paper is as shown above.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aThe College of Stomatology of Guangxi Medical University, Nanning, Guangxi 530021, P.R. China

^bGuangxi Engineering Center in Biomedical Material for Tissue and Organ Regeneration, The First Affiliated Hospital of Guangxi Medical University, Nanning, Guangxi 530021, P.R. China. E-mail: zhengli224@163.com; Fax: +86-07715350975; Tel: +86-07715358132

Department of Orthopaedics Trauma and Hand Surgery, The First Affiliated Hospital of Guangxi Medical University, Nanning, Guangxi 530021, P.R. China

^dGuangxi Collaborative Innovation Center for Biomedicine, The First Affiliated Hospital of Guangxi Medical University, Nanning, Guangxi 530021, P.R. China

eGuangxi Key Laboratory of Regenerative Medicine, The First Affiliated Hospital of Guangxi Medical University, Nanning, Guangxi 530021, P.R. China

^fNational Engineering Research Center for Biomaterials, Sichuan University, Chengdu, 610064, China

[†]These authors contributed equally to this work.