

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)


Cite this: *Chem. Commun.*, 2018, **54**, 11052

DOI: 10.1039/c8cc90410c

rsc.li/chemcomm

## Correction: A combined stretching–tilting mechanism produces negative, zero and positive linear thermal expansion in a semi-flexible Cd(II)-MOF

Prem Lama, Raj Kumar Das, Vincent J. Smith and Leonard J. Barbour\*

Correction for 'A combined stretching–tilting mechanism produces negative, zero and positive linear thermal expansion in a semi-flexible Cd(II)-MOF' by Prem Lama *et al.*, *Chem. Commun.*, 2014, **50**, 6464–6467.

The authors regret that incorrect values were given in Table 2 of the original article. The correct version of Table 2 is given below.

Table 2 Selected angles in **1** that change with temperature

T/K	$\theta^a$ (°)	$\omega^b$ (°)	$\tau^c$ (°)
100	113.0(2)	125.1(3)	2.3(3)
140	113.3(2)	124.8(3)	1.9(3)
180	113.6(2)	124.3(3)	1.4(3)
220	114.1(2)	123.8(3)	0.6(3)
260	114.5(2)	123.3(3)	0.5(3)

<sup>a</sup>  $\theta = C15 \cdots C16 \cdots C17$ . <sup>b</sup>  $\omega = Cd1 \cdots C16 \cdots Cd1'$ . <sup>c</sup>  $\tau = N1 \cdots C15 \cdots C17 \cdots N2$ .

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.