



Cite this: *Phys. Chem. Chem. Phys.*,  
2018, 20, 3841

DOI: 10.1039/c8cp90016g

rsc.li/pccp

## Correction: Escape of anions from geminate recombination in THF due to charge delocalization

Hung-Cheng Chen,<sup>a</sup> Andrew R. Cook,<sup>a</sup> Sadayuki Asaoka,<sup>b</sup> Jeffery S. Boschen,<sup>c</sup>  
Theresa L. Windus<sup>c</sup> and John R. Miller<sup>\*a</sup>

Correction for 'Escape of anions from geminate recombination in THF due to charge delocalization' by Hung-Cheng Chen *et al.*, *Phys. Chem. Chem. Phys.*, 2017, **19**, 32272–32285.


The authors would like to amend an error in the equation shown in Fig. 3(d) of the published article. The corrected Fig. 3 is shown below.

<sup>a</sup> Chemistry Department, Brookhaven National Laboratory, Upton, New York 11973, USA. E-mail: jrmiller@bnl.gov

<sup>b</sup> Faculty of Materials Science and Engineering, Kyoto Institute of Technology, Matsugasaki, Sakyo-ku, Kyoto 606-8585, Japan

<sup>c</sup> Department of Chemistry and Ames Laboratory (USDOE), Iowa State University, Ames, Iowa 50011, USA





**Fig. 3** Transient spectra from pulse radiolysis of (a–d)  $F_n$  ( $n = 1–4$ ) at 50, 20, 10, and 5 mM and benzophenone (BPhO) at 50 mM in THF. The  $F_n$  spectra are collected at times,  $t = 10$  (black), 50 (red), 100 (green), 500 ns (blue), and 1  $\mu$ s (purple), those for BPhO are from 1 ns to 1  $\mu$ s (1, 2, 5 sequence).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

