



Cite this: *Phys. Chem. Chem. Phys.*,  
2018, 20, 30053

DOI: 10.1039/c8cp91925a

rsc.li/pccp

## Correction: Self-adaptive multiscaling algorithm for efficient simulations of many-protein systems in crowded conditions

Sergio A. Hassan

Correction for 'Self-adaptive multiscaling algorithm for efficient simulations of many-protein systems in crowded conditions' by Sergio A. Hassan *et al.*, *Phys. Chem. Chem. Phys.*, 2018, DOI: 10.1039/c8cp05517c.

The author would like to correct eqn (13)–(15) in the published article.  $\mathcal{M}_i$  should be amended to  $\mathcal{M}$  in the upper limit of the second sum symbols as shown in the corrected equations below.

$$R_p(\mathbf{r}) \approx R_{0,p} + \sum_{\substack{q \in I \\ q \neq p}}^{N_{I,0}} c_{pq} \exp(-B_p r_{pq}) + \sum_{K \neq I}^{\mathcal{M}} \sum_{q \in K}^{N_{K,\lambda_K}} c_{pq} \exp(-B_p r_{pq}) \quad (13)$$

$$\mathcal{A}_p(\mathbf{r}) \approx \mathcal{A}_{0,p} - \sum_{\substack{q \in I \\ q \neq p}}^{N_{I,0}} c_{pq}' \exp(-B_p' r_{pq}) - \sum_{K \neq I}^{\mathcal{M}} \sum_{q \in K}^{N_{K,\lambda_K}} c_{pq}' \exp(-B_p' r_{pq}) \quad (14)$$

$$\alpha_p(\mathbf{r}) \approx \alpha_{0,p} - \sum_{\substack{q \in I \\ q \neq p}}^{N_{I,\lambda_I}} c_{pq}'' \exp(-B_p'' r_{pq}) - \sum_{K \neq I}^{\mathcal{M}} \sum_{q \in K}^{N_{K,\lambda_K}} c_{pq}'' \exp(-B_p'' r_{pq}) \quad (15)$$

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

