Chem Soc Rev



View Article Online

CORRECTION

Check for updates

Cite this: Chem. Soc. Rev., 2018, 47, 7818

Correction: Engineered hydrogen-bonded polymer multilayers: from assembly to biomedical applications

Georgina K. Such, Angus P. R. Johnston and Frank Caruso*

DOI: 10.1039/c8cs90110d

Correction for 'Engineered hydrogen-bonded polymer multilayers: from assembly to biomedical applications' by Georgina K. Such *et al.*, *Chem. Soc. Rev.*, 2011, **40**, 19–29.

rsc.li/chem-soc-rev

The authors regret that there was an error in Fig. 2 in the original manuscript. The structure shown in the lower part of the figure was actually that of poly(butenoic acid) (PBA), rather than that of poly(methacrylic acid) (PMA). The corrected version of Fig. 2 is presented below.



Fig. 2 Examples of hydrogen bond interactions used in the formation of multilayer films: protonated PMA acts as a hydrogen bond donor to a range of hydrogen bond acceptors such as PEG, PVPON and PNIPAM.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

Centre for Nanoscience and Nanotechnology, Department of Chemical and Biomolecular Engineering, The University of Melbourne, Parkville, Victoria 3010, Australia. E-mail: fcaruso@unimelb.edu.au