

CORRECTION

[View Article Online](#)
View Journal | View Issue



Cite this: *Org. Biomol. Chem.*, 2018, **16**, 4734


Correction: 2-Aroylquinoline-5,8-diones as potent anticancer agents displaying tubulin and heat shock protein 90 (HSP90) inhibition

Kunal Nepali,^a Sunil Kumar,^a Hsiang-Ling Huang,^a Fei-Chiao Kuo,^a Cheng-Hsin Lee,^a Ching-Chuan Kuo,^b Teng-Kuang Yeh,^b Yu-Hsuan Li,^a Jang-Yang Chang,^c Jing-Ping Liou^a and Hsueh-Yun Lee^{*a}

DOI: 10.1039/c8ob90080a
rsc.li/obc

Correction for '2-Aroylquinoline-5,8-diones as potent anticancer agents displaying tubulin and heat shock protein 90 (HSP90) inhibition' by Kunal Nepali *et al.*, *Org. Biomol. Chem.*, 2016, **14**, 716–723.

The authors regret that in Fig. 2 and Scheme 1 the R group for compound **15** was incorrectly assigned as *N,N*-dimethyl-ethylamino. The correct R group is *N,N*-dimethylaminopropylamino as shown in the corrected structure of **15** below.



In the discussion in the '*In vitro* cell growth inhibitory activity' section 'Compound **15**, with a *N*-(*N,N*-dimethylaminoethyl)amino group at C6 exhibits moderate inhibitory activity towards the cancer cells tested with a mean IC₅₀ value of 0.67 μM.' should be corrected to 'Compound **15**, with a *N,N*-dimethylaminopropylamino group at C6 exhibits moderate inhibitory activity towards the cancer cells tested with a mean IC₅₀ value of 0.67 μM.'

In addition, in the experimental details for compound **15** a singlet peak at δ 2.36 (s, 6H) was omitted.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aSchool of Pharmacy, College of Pharmacy, Taipei Medical University, Taipei 11031, Taiwan. E-mail: hyl@tmu.edu.tw; Tel: +886-2-27361661 ext 6134

^bInstitute of Biotechnology and Pharmaceutical Research, National Health Research Institutes, Zhunan Town, Miaoli County, Taiwan

^cNational Institute of Cancer Research, National Health Research Institutes, Tainan, Taiwan

