



Cite this: *RSC Adv.*, 2018, 8, 4976

Correction: Green synthesis of 1,4-benzodiazepines over La_2O_3 and $\text{La}(\text{OH})_3$ catalysts: possibility of Langmuir–Hinshelwood adsorption


Archana Singh, Veerabhadraiah Palakollu, Aman Pandey, Sriram Kanvah* and Sudhanshu Sharma*

DOI: 10.1039/c8ra90005a

www.rsc.org/advances

Correction for 'Green synthesis of 1,4-benzodiazepines over La_2O_3 and $\text{La}(\text{OH})_3$ catalysts: possibility of Langmuir–Hinshelwood adsorption' by Archana Singh *et al.*, *RSC Adv.*, 2016, 6, 103455–103462.

The authors regret that in the original manuscript there were some errors in the structures displayed in Scheme 1 and Table 1. The correct scheme and table are presented herein.



Scheme 1 Schematic of a synthetic strategy for preparation of 1,4-benzodiazepine derivatives.



Table 1 List of the reactions performed with the different aldehydes, their reaction times and the isolated product yield





















Entry	Reactant			Product	Time (h)	Yield (%)
	A	Reactant B	Reactant C			
1	OPDA	Dimedone			4/3.5	81/76
2	OPDA	Dimedone			4.6/5	79/82
3	OPDA	Dimedone			4.5/4.5	80/76
4	OPDA	Dimedone			3.5/3	83/85
5	OPDA	Dimedone			4.5/5	81/79
6	OPDA	Dimedone			4.8/5	76/79



Table 1 (Contd.)

Entry	Reactant			Product	Time (h)	Yield (%)	
	A	Reactant B	Reactant C			$\text{La}_2\text{O}_3/\text{La}(\text{OH})_3$	$\text{La}_2\text{O}_3/\text{La}(\text{OH})_3$
7	OPDA	Dimedone			5/4.5	74/76	
8	OPDA	Dimedone			4/3.5	69/71	
9	OPDA	Dimedone			3.6/4	84/81	
10	OPDA	Dimedone			5/4.5	75/70	

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

