


 Cite this: *RSC Adv.*, 2018, 8, 6251

## Correction: Gas sensing performance at room temperature of nanogap interdigitated electrodes for detection of acetone at low concentration

 Q. Nguyen Minh,<sup>ab</sup> H. D. Tong,<sup>\*cd</sup> J. Baggerman,<sup>ab</sup> A. Kuijk,<sup>a</sup> S. P. Pujari,<sup>a</sup> J. F. van der Bent,<sup>e</sup> P. Beekman<sup>af</sup> and C. J. M. van Rijn<sup>\*a</sup>

DOI: 10.1039/c8ra90007h

[www.rsc.org/advances](http://www.rsc.org/advances)

 Correction for 'Gas sensing performance at room temperature of nanogap interdigitated electrodes for detection of acetone at low concentration' by Q. Nguyen Minh *et al.*, *RSC Adv.*, 2017, 7, 50279–50286.

The authors regret that in the original article the authorship was incorrect. J. Baggerman and S. P. Pujari were not included in the original author list. Additionally, J. F. van der Bent was spelled incorrectly in the original article. The correct author list is as presented above.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>Laboratory of Organic Chemistry, Wageningen University and Research, Stippeneng 4, 6708 WE Wageningen, The Netherlands. E-mail: [cees.vanrijn@wur.nl](mailto:cees.vanrijn@wur.nl); Tel: +31-317-482370

<sup>b</sup>Nanosens, IJsselkade 7, 7201 HB Zutphen, The Netherlands

<sup>c</sup>Ceramics and Biomaterials Research Group, Ton Duc Thang University, Ho Chi Minh City, Vietnam. E-mail: [tongduyhien@tdt.edu.vn](mailto:tongduyhien@tdt.edu.vn)

<sup>d</sup>Faculty of Applied Sciences, Ton Duc Thang University, Ho Chi Minh City, Vietnam

<sup>e</sup>HU University of Applied Sciences Utrecht, Oudenoord 700, 3513 EX Utrecht, The Netherlands

<sup>f</sup>Medical Cell Biophysics Group, MIRA Institute for Biomedical Engineering and Technical Medicine, Faculty of Science and Technology, University of Twente, 7522 NB Enschede, The Netherlands

