CORRECTION

View Article Online
View Journal | View Issue

Cite this: *Chem. Sci.*, 2018, 9, 2008

Further Correction: Hypoxia inducible factor (HIF) as a model for studying inhibition of protein–protein interactions

George M. Burslem,^{ab} Hannah F. Kyle,^{bc} Adam Nelson,^{ab}
Thomas A. Edwards^{bc} and Andrew J. Wilson^{*ab}

DOI: 10.1039/c8sc90023j

www.rsc.org/chemicalscience

Correction for 'Hypoxia inducible factor (HIF) as a model for studying inhibition of protein–protein interactions' by George M. Burslem *et al.*, *Chem. Sci.*, 2017, 8, 4188–4202.

The authors regret that there are additional errors in the original manuscript that were not noted in the first correction notice.

Table 1 is incorrect in the original manuscript as a number of citations were incorrectly numbered and some PDB IDs were omitted from the original table. The correct table is displayed below.

Table 1 Summary of the currently available HIF structures

Structure	Structure details	PDB ID	Ref.
HIF dimers	HIF1 α /ARNT	4H6J	33
	HIF2 α /ARNT/co-activator complex	4PKY	34
	HIF2 α /ARNT complex	3F1P	35
	HIF2 α /ARNT complex with an artificial ligand bound	3F1O	
	HIF2 α /ARNT complex	4ZP4	55
	HIF2 α /ARNT complex with a benzoxadiazole ligand bound	4GS9, 4GHI	36 and 37
	HIF2 α -ARNT bound to PT2399	5UFP	38
	HIF2 α -ARNT bound to PT2385	5TBM	39
	HIF2 α -ARNT PAS domain bound to tetrazole containing antagonist	4XT2	40
	HIF2 α -ARNT complex bound to proflavin	4ZPH	55
	HIF2 α -ARNT complex with HRE DNA	4ZPK	55
	HIF2 α -ARNT bound to benzoxadiazole antagonist	4ZQD	55
	HIF1 α -ARNT complex with HRE DNA	4ZPR	55
	HIF2 α -ARNT bound to benzoxadiazole antagonist	4ZQD	55
	HIF2 α -ARNT bound to THS017/THS020	3H7W, 3H82	41
HIF-FIH complexes	FIH in complex with HIF-1 α	3F1N	35
	FIH (D201E) complex with HIF-1 α and α -ketoglutarate	1H2K, 1H2L, 1H2M	42
		5JWP	43
HIF-PHD complexes		3D8C, 2ILM	44
	PHD2 in complex with 2OG and HIF-1 α CODD	5L9B, 5L9V, 5LA9	45
		5LAS	
vHL-HIF complexes	PHD2 in complex with NOG and HIF-1 α	3HQR	133
	vHL/elongin/B-elongin/C-elongin complex bound to HIF-1 α	4AJY	46
		1LQB	47
HIF-1 α complexes		1LM8	48
	NMR structures of HIF-1 α bound to p300	1L3E	62
		1L8C	63

^aSchool of Chemistry, University of Leeds, Woodhouse Lane, Leeds LS2 9JT, UK. E-mail: a.j.wilson@leeds.ac.uk

^bAstbury Centre for Structural Molecular Biology, University of Leeds, Woodhouse Lane, Leeds LS2 9JT, UK

^cSchool of Molecular and Cellular Biology, Faculty of Biological Sciences, University of Leeds, Woodhouse Lane, Leeds LS2 9JT, UK

Ref. 88 is incorrect in the original manuscript the correct citation is: J. S. Isaacs, Y.-J. Jung, E. G. Mimnaugh, A. Martinez, F. Cuttitta and L. M. Neckers, *J. Biol. Chem.*, 2002, **277**, 29936–29944.

Ref. 89 is incorrect in the original manuscript the correct citation is: E. Hur, H.-H. Kim, S. M. Choi, J. H. Kim, S. Yim, H. J. Kwon, Y. Choi, D. K. Kim, M.-O. Lee and H. Park, *Mol. Pharmacol.*, 2002, **62**, 975–982.

Ref. 99 is incorrect in the original manuscript the correct citation is: S. Kaluz, M. Kaluzová and E. J. Stanbridge, *Mol. Cell. Biol.*, 2006, **26**, 5895–5907.

Table 2 is also incorrect as a number of citations were incorrectly numbered. The correct table is displayed below.

Table 2 Selected examples of HIF modulators. Error are given where available

Ligand	Target	Potency	Ref.
EZN-2698	mRNA	IC ₅₀ = 1–5 nM	75
Topotecan	Topoisomerase I	IC ₅₀ = 11 ± 1.3 μM	76
EZN-2208	Topoisomerase I	IC ₅₀ = 0.5 ± 0.3 μM	78
Digoxin	HIF-1α protein expression	IC ₅₀ = 50 nM	79
PX-478	HIF-1α protein expression	IC ₅₀ = 20 ± 2 μM	80
DMOG	PHD2	IC ₅₀ = 9.3 μM	82
FG-2216	PHD2	IC ₅₀ = 0.3 μM	85
Geldanamycin	HSP90	K _d = 1.21 μM	88
Ganete spib	HSP90	IC ₅₀ = 4 nM	90
Echinomycin	HRE	IC ₅₀ = 1.2 nM	96
Acriflavine	HIF-1α/β	IC ₅₀ = 1 μM	101
Chetomin	Zinc ejection	IC ₅₀ = 6.8 μM	32
Ninhydrin	Zinc ejection	IC ₅₀ = 1.93 ± 0.97 μM	104
KCN-1	HIF-1α/p300	IC ₅₀ = 0.65 ± 0.09 μM	105
KG548	ARNT/TACC3	IC ₅₀ = 25 μM	109
KHS101	ARNT	IC ₅₀ < 5 μM	109
cyclo-CLLFVY	HIF-1α/β	K _d = 124 (± 23) nM	112
Phage display peptides	p300	K _d = 20.67 (± 23) μM	65
Phage display Affimers	p300	K _d = 157 nM	65
HBS peptide helix 2	p300	K _d = 420 nM	120
HBS peptide helix 3	p300	K _d = 690 ± 25 nM	69
Oligoamide 1	p300	IC ₅₀ = 9.2 μM	108
OHM-1	p300	K _d = 420 nM	70 and 129

Ref. 133 is incomplete in the original manuscript. The correct citation should be: R. Chowdhury, M. A. McDonough, J. Mecinović, C. Loenarz, E. Flashman, K. S. Hewitson, C. Domene and C. J. Schofield, *Structure*, 2009, **17**, 981–989.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.