



Cite this: *Chem. Sci.*, 2018, 9, 2010

## Correction: Correction: Hypoxia inducible factor (HIF) as a model for studying inhibition of protein–protein interactions

George M. Burslem,<sup>ID</sup> <sup>ab</sup> Hannah F. Kyle,<sup>bc</sup> Adam Nelson,<sup>ID</sup> <sup>ab</sup>  
Thomas A. Edwards<sup>ID</sup> <sup>bc</sup> and Andrew J. Wilson<sup>ID</sup> <sup>\*ab</sup>

DOI: 10.1039/c8sc90024h

[www.rsc.org/chemicalscience](http://www.rsc.org/chemicalscience)

Correction for 'Correction: Hypoxia inducible factor (HIF) as a model for studying inhibition of protein–protein interactions' by George M. Burslem *et al.*, *Chem. Sci.*, 2017, 8, 5214–5215.

The authors regret that in their original correction regarding Fig. 3 there remained errors in the structures of EZN-2208, geldanamycin, ganetespib and echinomycin. The correct figure is displayed below.

<sup>a</sup>School of Chemistry, University of Leeds, Woodhouse Lane, Leeds LS2 9JT, UK. E-mail: [a.j.wilson@leeds.ac.uk](mailto:a.j.wilson@leeds.ac.uk)

<sup>b</sup>Astbury Centre for Structural Molecular Biology, University of Leeds, Woodhouse Lane, Leeds LS2 9JT, UK

<sup>c</sup>School of Molecular and Cellular Biology, Faculty of Biological Sciences, University of Leeds, Woodhouse Lane, Leeds LS2 9JT, UK



