Soft Matter



CORRECTION

View Article Online
View Journal | View Issue



Cite this: Soft Matter, 2018, 14, 9296

Correction: Tunable hydrodynamics: a field-frequency phase diagram of a non-equilibrium order-to-disorder transition

Somayeh Khajehpour Tadavani* and Anand Yethiraj*

DOI: 10.1039/c8sm90196a

Correction for 'Tunable hydrodynamics: a field-frequency phase diagram of a non-equilibrium order-to-disorder transition' by Somayeh Khajehpour Tadavani et al., Soft Matter, 2017, **13**, 7412–7424.

rsc.li/soft-matter-iournal

1. The denominator of eqn (3) for the shape-discrimating function, ϕ , had a factor of 10, which should in fact be a factor of 5. The corrected eqn (3) should read:

$$\phi = \frac{9}{16} \left(1 - \frac{H^{-1}(11N + 14) + H^{-2}(15(N+1) + S(19N+16)) + 15\tau^2\omega^2(1+N)(1+2S)}{5(1+N)\Big((2H^{-1}+1)^2 + \tau^2\omega^2(S+2)^2\Big)} \right).$$

The correct form for the theoretical shape-discriminating function, ϕ , was indeed used in Fig. 3(d).

2. The following paragraph had an error in the estimate for $D\tau$.

"There is a common plateau, for $E > 3.5 \text{ V } \mu\text{m}^{-1}$, at around 15 $\mu\text{m}^2 \text{ s}^{-1}$. Given the orientational correlations have a lifetime of τ between 0.1 and 10 s, this implies that the contribution of drop deformation to the centroid MSD of order $D\tau \sim 7$ –70 μm^2 . As can be seen in Fig. 8(a), the low-frequency results are ones where the MSD plateaus at a value larger than this, *i.e.*, true translational dynamics dominates, while at higher frequencies, orientational and translational dynamics are not clearly separable in the mean-square displacements."

The paragraph should read:

"There is a common plateau, for $E > 3.5 \text{ V} \, \mu\text{m}^{-1}$, at around 15 $\mu\text{m}^2 \, \text{s}^{-1}$. Given that the orientational correlations have a lifetime τ of between 0.1 and 10 s, this implies that the contribution of drop deformation to the centroid MSD is of order $D\tau \sim 1.5$ –150 μm^2 . As can be seen in Fig. 8(b), the low-frequency results are ones where the MSD plateaus at a value larger than this, *i.e.*, true translational dynamics dominates, while at higher frequencies, orientational and translational dynamics are not clearly separable in the mean-square displacements."

These changes do not affect the rest of the manuscript. The corrected paragraph is located on page 7420, bottom left column and top right column.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.