



Cite this: *Analyst*, 2019, **144**, 5898

Correction: Bacterial detection and identification from human synovial fluids on an integrated microfluidic system

Ting-Hang Liu,^a Shu-Shen Cheng,^b Huey-Ling You,^b Mel S. Lee^{*c} and Gwo-Bin Lee^{*a,d,e}

DOI: 10.1039/c9an90087j

rsc.li/analyst

Correction for 'Bacterial detection and identification from human synovial fluids on an integrated microfluidic system' by Ting-Hang Liu *et al.*, *Analyst*, 2019, **144**, 1210–1222.

The authors regret that there was an error in the IRB number that was provided in the first paragraph of the "Materials and methods" section of the original article. The correct IRB number is 107-1005C.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Power Mechanical Engineering, National Tsing Hua University, Hsinchu, Taiwan. E-mail: gwobin@pme.nthu.edu.tw; Fax: +886-3-5742495; Tel: +886-3-5715131 Ext. 33765

^bDepartment of Laboratory Medicine, Kaohsiung Chang Gung Memorial Hospital, Kaohsiung, Taiwan

^cDepartment of Orthopaedic Surgery, Kaohsiung Chang Gung Memorial Hospital, Kaohsiung, Taiwan. E-mail: mellee@cgmh.org.tw; Fax: +886-7-7354309; Tel: +886-7317123 ext 3286

^dInstitute of Biomedical Engineering, National Tsing Hua University, Hsinchu, Taiwan

^eInstitute of NanoEngineering and Microsystems, National Tsing Hua University, Hsinchu, Taiwan

