

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)**Correction: Fast and reliable generation of [ $^{18}\text{F}$ ]triflyl fluoride, a gaseous [ $^{18}\text{F}$ ]fluoride source**

Cite this: *Chem. Commun.*, 2019, 55, 5523

A. Pees,<sup>\*a</sup> C. Sewing,<sup>a</sup> M. J. W. D. Vosjan,<sup>b</sup> V. Tadino,<sup>c</sup> J. D. M. Herscheid,<sup>a</sup>  
A. D. Windhorst<sup>a</sup> and D. J. Vugts<sup>a</sup>

DOI: 10.1039/c9cc90179e

Correction for 'Fast and reliable generation of [ $^{18}\text{F}$ ]triflyl fluoride, a gaseous [ $^{18}\text{F}$ ]fluoride source' by A. Pees *et al.*, *Chem. Commun.*, 2018, **54**, 10179–10182.

[rsc.li/chemcomm](http://rsc.li/chemcomm)

The authors regret that there was an error with one of the units in the original article on page 10181, line 6. The text should read “26.6 mM  $\text{KHCO}_3$ /kryptofix- $\text{K}_{2.2.2}$ ”.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Department of Radiology & Nuclear Medicine, Location Radionuclidecenter, De Boelelaan 1085C, 1081 HV Amsterdam, The Netherlands. E-mail: [a.pees@vumc.nl](mailto:a.pees@vumc.nl)

<sup>b</sup> BV Cyclotron VU, De Boelelaan 1081, 1081 HV Amsterdam, The Netherlands

<sup>c</sup> ORA Neptis, Rue de la Gendarmerie 50/B, 5600 Philippeville, Belgium

