Cite this: *Chem. Soc. Rev.*, 2019, **48**, 4336

DOI: 10.1039/c9cs90059d

rsc.li/chem-soc-rev

Correction: Functional synthetic probes for selective targeting and multi-analyte detection and imaging

Yongkang Yue,^a Fangjun Huo,^b Fangqin Cheng,^c Xijing Zhu,^d Tendai Mafireyi,^d Robert M. Strongin^{*d} and Caixia Yin^{*a}

Correction for 'Functional synthetic probes for selective targeting and multi-analyte detection and imaging' by Yongkang Yue *et al.*, *Chem. Soc. Rev.*, 2019, DOI: 10.1039/c8cs01006d.

The authors regret that Fig. 44 in the original article was incorrect. A FRET mechanism was not proposed by the authors of the cited article.¹ A second emission wavelength was additionally determined. The correct version of Fig. 44 is presented below.

Fig. 44 Compound **73** was used for simultaneous detection of ATP and nitroreductase activity.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Key Laboratory of Chemical Biology and Molecular Engineering of Ministry of Education, Key Laboratory of Materials for Energy Conversion and Storage of Shanxi Province, Institute of Molecular Science of Shanxi University, Taiyuan, Shanxi, 030006, China. E-mail: yincx@sxu.edu.cn

^b Research Institute of Applied Chemistry, Shanxi University, Taiyuan, 030006, China

^c Institute of Resources and Environment Engineering, Shanxi University, Taiyuan, 030006, China

^d Department of Chemistry, Portland State University, Portland, Oregon 97201, USA. E-mail: strongin@pdx.edu

References

- 1 Y. Fang, W. Shi, Y. Hu, X. Li and H. Ma, *Chem. Commun.*, 2018, **54**, 5454–5457.