Environmental Science Processes & Impacts



View Article Online

View Journal | View Issue

CORRECTION

Check for updates

Cite this: Environ. Sci.: Processes Impacts, 2019, 21, 904

DOI: 10.1039/c9em90019e

rsc.li/espi

Ian T. Cousins,^a Carla A. Ng,^b Zhanyun Wang^c and Martin Scheringer^{*d}

Correction: Why is high persistence alone a major

Correction for 'Why is high persistence alone a major cause of concern?' by Ian T. Cousins *et al., Environ. Sci.: Processes Impacts*, 2019, DOI: 10.1039/c8em00515j.

In the original article, some of the concentration values on the *y*-axis of Fig. 2(ii) were incorrect. The corrected Fig. 2 is shown below.

cause of concern?



Fig. 2 Concentrations of chemicals C (panel (ii)) and D (panel (iii)) as function of time in the scenario with dynamic emissions. For both chemicals, emissions start in year 0, increase by 10 mol h^{-1} every year, peak in year 10 at a value of 100 mol h^{-1} , then decrease by 10 mol h^{-1} every year, and end in year 20. Note the much higher levels of chemical D compared to chemical C.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^eDepartment of Environmental Science and Analytical Chemistry (ACES), Stockholm University, SE-10691 Stockholm, Sweden ^bDepartment of Civil & Environmental Engineering, University of Pittsburgh, 3700 O'Hara St, Pittsburgh, PA 15261, USA ^cChair of Ecological Systems Design, Institute of Environmental Engineering, ETH Zürich, 8093 Zürich, Switzerland ^dInstitute of Biogeochemistry and Pollutant Dynamics, ETH Zürich, Universitätstr. 16, 8092 Zürich, Switzerland. E-mail: scheringer@usys.ethz.ch