


 Cite this: *New J. Chem.*, 2019, 43, 4648

Correction: Novel formation of Bi@BiFe-glycolate hollow spheres and their conversion into Bi₂O₃/BiFeO₃ composite hollow spheres with enhanced activity and durability in visible photocatalysis

 Xu Yang,^a Junsheng Meng,^a Yu Wang,^{*a} Qingqiang Meng,^a Yongyuan Hu,^a Andi Di,^b Yuehan Wu^a and Gang Chen^{*a}


DOI: 10.1039/c9nj90030f

rsc.li/njc

 Correction for 'Novel formation of Bi@BiFe-glycolate hollow spheres and their conversion into Bi₂O₃/BiFeO₃ composite hollow spheres with enhanced activity and durability in visible photocatalysis' by Xu Yang et al., *New J. Chem.*, 2018, **42**, 10697–10703.

The authors would like to correct ref. 25 and Scheme 1, which are incorrect in the published article.

 Ref. 25 should be: F. Gao, X. Y. Chen, K. B. Yin, S. Dong, Z. F. Ren, F. Yuan, T. Yu, Z. G. Zou and J.-M. Liu, *Adv. Mater.*, 2007, **19**, 2889–2892.

 Scheme 1 should be corrected as shown below. The band gaps 2.07 eV and 2.35 eV should correspond to BiFeO₃ and Bi₂O₃, respectively.


Scheme 1 Mechanism of the Bi₂O₃/BiFeO₃ semiconductor heterojunction under visible-light irradiation in the photodegradation reaction.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a MIT Key Laboratory of Critical Materials Technology, for New Energy Conversion and Storage, School of Chemistry and Chemical Engineering, Harbin Institute of Technology, Harbin 150001, China. E-mail: wangyu1012@hit.edu.cn, gchen@hit.edu.cn; Tel: +86 451 86413753

^b Department of Chemistry, University of Bath, Claverton Down, Bath, UK BA2 7AY

