



Cite this: DOI: 10.1039/c9nr90247c

## Correction: MoS<sub>2</sub> nanoflowers encapsulated into carbon nanofibers containing amorphous SnO<sub>2</sub> as an anode for lithium-ion batteries


Huanhui Chen, Jiao He, Guanxia Ke, Lingna Sun,\* Junning Chen, Yongliang Li, Xiangzhong Ren,\* Libo Deng and Peixin Zhang

DOI: 10.1039/c9nr90247c

Correction for 'MoS<sub>2</sub> nanoflowers encapsulated into carbon nanofibers containing amorphous SnO<sub>2</sub> as an anode for lithium-ion batteries' by Huanhui Chen *et al.*, *Nanoscale*, 2019, **11**, 16253–16261.

rsc.li/nanoscale

The authors have noticed that there were a number of errors in Fig. 7(c–f) in the original article, as well as in the caption. A corrected version of Fig. 7 and its caption is therefore provided below.



**Fig. 7** (a) Nyquist plots of the five electrodes; (b) relationships between  $Z_{re}$  and  $\omega^{-1/2}$  in the frequency region of 0.1–0.01 Hz; (c) CV curves at different scan rates of 0.2, 0.4, 0.6, 0.8 and 1.0  $\text{mV s}^{-1}$ ; (d) corresponding  $\log(i)$  versus  $\log(v)$  plots of the MoS<sub>2</sub>–SnO<sub>2</sub>@CNF-2 electrodes; (e) corresponding  $i/v^{1/2}$  versus  $v^{1/2}$  plots of the MoS<sub>2</sub>–SnO<sub>2</sub>@CNF-2 electrodes; (f) normalized ratio of the capacitive- and diffusion-controlled contributions at different scan rates of the MoS<sub>2</sub>–SnO<sub>2</sub>@CNF-2 electrode.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

