Journal of Materials Chemistry A

CORRECTION

View Article Online
View Journal | View Issue

Cite this: J. Mater. Chem. A, 2019, 7, 1356

Correction: High thermoelectric performance in complex phosphides enabled by stereochemically active lone pair electrons

Xingchen Shen,[agh] Yi Xia,[b] Guiwen Wang,[c] Fei Zhou,[d] Vidvuds Ozolins,[ef] Xu Lu,*[a] Guoyu Wang*[gh] and Xiaoyuan Zhou*[ac]

DOI: 10.1039/c8ta90286k

www.rsc.org/MaterialsA

Correction for 'High thermoelectric performance in complex phosphides enabled by stereochemically active lone pair electrons' by Xingchen Shen *et al.*, *J. Mater. Chem. A*, 2018, **6**, 24877–24884.

The authors wish to amend the published Acknowledgements section. The correct Acknowledgements section is shown below.

Acknowledgements

This work was financially supported in part by the National Natural Science Foundation of China (Grant No. 51772035, 11674040, 51672270), the Fundamental Research Funds for the Central Universities (106112017CDJQJ308821 and 106112016CDJZR308808). XCS appreciated the Fundamental Research Funds for the Central Universities (2018CDYJSY0055) and CSC scholarship. GYW appreciated the financial support from the Key Research Program for Frontier Sciences, CAS under the award No. QYZDB-SSW-SLH016. The work of FZ was supported by the Critical Materials Institute, an Energy Innovation Hub funded by the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Advanced Manufacturing Office, and performed under the auspices of the U.S. Department of Energy by LLNL under Contract DE-AC52-07NA27344. YX and VO were supported by the US Department of Energy, Office of Science, Basic Energy Sciences under grant No. DE-FG02-07ER46433. This research used resources of the National Energy Research Scientific Computing Center, a DOE Office of Science User Facility supported by the Office of Science of the US Department of Energy under Contract No. DE-AC02-05CH11231.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

[a]*Chongqing Key Laboratory of Soft Condensed Matter Physics and Smart Materials, College of Physics, Chongqing University, Chongqing, Chongqing 401331, P. R. China. E-mail: luxu@cqu.edu.cn*

[b]*Department of Materials Science and Engineering, Northwestern University, Evanston, IL 60208, USA*

[c]*Analytical and Testing Center of Chongqing University, Chongqing 401331, P. R. China*

[d]*Physical and Life Sciences Directorate, Lawrence Livermore National Laboratory, California 94550, USA*

[e]*Department of Applied Physics, Yale University, New Haven, Connecticut 06511, USA*

[f]*Energy Sciences Institute, Yale University, West Haven, Connecticut 06516, USA*

[g]*Chongqing Institute of Green and Intelligent Technology, Chinese Academy of Sciences, Chongqing 400714, P. R. China. E-mail: guoyuw@cigit.ac.cn*

[h]*University of Chinese Academy of Sciences, Beijing, 100044, P. R. China*