



Cite this: *J. Mater. Chem. B*, 2019, **7**, 4592

## Correction: 3D cell printing of islet-laden pancreatic tissue-derived extracellular matrix bioink constructs for enhancing pancreatic functions

Jaewook Kim,<sup>a</sup> In Kyong Shim,<sup>b</sup> Dong Gyu Hwang,<sup>c</sup> Yu Na Lee,<sup>b</sup> Myungji Kim,<sup>c</sup> Hyeonji Kim,<sup>a</sup> Seok-Won Kim,<sup>a</sup> Song Lee,<sup>b</sup> Song Cheol Kim,<sup>\*bd</sup> Dong-Woo Cho<sup>\*a</sup> and Jinah Jang<sup>\*ce</sup>

DOI: 10.1039/c9tb90097g

[rsc.li/materials-b](http://rsc.li/materials-b)

Correction for '3D cell printing of islet-laden pancreatic tissue-derived extracellular matrix bioink constructs for enhancing pancreatic functions' by Jaewook Kim *et al.*, *J. Mater. Chem. B*, 2019, **7**, 1773–1781.

The authors regret the errors when describing the concentrations of the dECM bioink for conducting the rheological analysis and printing procedures in the original manuscript (Sections 3.2 and 3.6). The corrected sentences are below.

### Section 3.2

Therefore, we met this criterion by adjusting the concentration, and finally 1–3% of pdECM bioink was revealed as a proper condition for printing the cells (Fig. 2a). We chose 1.5% pdECM as a representative concentration and 1.5% collagen as a control.

### Section 3.6

The printing versatility of 1–3% pdECM bioink was tested and finally showed the formation of 3D construct from a monolayer to 5-layer constructs.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Department of Mechanical Engineering, Pohang University of Science and Technology (POSTECH), Pohang, Korea. E-mail: [dwcho@postech.ac.kr](mailto:dwcho@postech.ac.kr)

<sup>b</sup> Asan Institute for Life Science, University of Ulsan College of Medicine and Asan Medical Center, Seoul, Korea. E-mail: [drksc@amc.ac.kr](mailto:drksc@amc.ac.kr)

<sup>c</sup> School of Interdisciplinary Bioscience and Bioengineering, POSTECH, Korea. E-mail: [jinahjang@postech.ac.kr](mailto:jinahjang@postech.ac.kr)

<sup>d</sup> Division of Hepato-Biliary and Pancreatic Surgery, Department of Surgery, University of Ulsan College of Medicine and Asan Medical Center, Seoul, Korea

<sup>e</sup> Department of Creative IT Engineering, POSTECH, Pohang, Korea

