



Cite this: *Analyst*, 2020, **145**, 5372

Correction: A paper-supported sandwich immunosensor based on upconversion luminescence resonance energy transfer for the visual and quantitative determination of a cancer biomarker in human serum

Mengyuan He, ^a Ning Shang, ^a Lin Shen^b and Zhihong Liu ^{*b}

DOI: 10.1039/d0an90071k

rsc.li/analyst

Correction for 'A paper-supported sandwich immunosensor based on upconversion luminescence resonance energy transfer for the visual and quantitative determination of a cancer biomarker in human serum' by Mengyuan He *et al.*, *Analyst*, 2020, **145**, 4181–4187, DOI: 10.1039/c9an02307k.

The authors regret that Fig. 1C in the original article was incorrect. The correct version of Fig. 1 is shown below. This does not affect the results or conclusions of the article.




Fig. 1 (a) FT-IR spectra of OA-UCNPs and PAA-UCNPs. (b) X-ray diffraction (XRD) pattern of PAA-UCNPs. □, cubic phase (JCPDS file no. 77-2042); ●, hexagonal phase (JCPDS file no. 16-0334). (c) TEM image of PAA-UCNPs. (d) TEM image of AuNPs.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aCollege of Chemistry and Chemical Engineering, Xinyang Normal University, Xinyang 464000, China. E-mail: myhe@xynu.edu.cn

^bKey Laboratory of Analytical Chemistry for Biology and Medicine (Ministry of Education), College of Chemistry and Molecular Sciences, Wuhan University, Wuhan 430072, China. E-mail: zhhliu@whu.edu.cn; Fax: +862768754067; Tel: +86 27 87217886

