

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *Analyst*, 2020, **145**, 6180

## Correction: A capillary-based fluorimetric platform for the evaluation of glucose in blood using gold nanoclusters and glucose oxidase in the ZIF-8 matrix

Luping Feng,<sup>a,b</sup> Jiani Yang,<sup>a</sup> Sheng Zhang,<sup>a</sup> Lixiang Zhang,<sup>c</sup> Xi Chen,<sup>b</sup> Pan Li,<sup>a</sup> Yuan Gao,<sup>a</sup> Shujing Xie,<sup>a</sup> Yun Zhang<sup>\*d</sup> and Hua Wang<sup>\*a,b</sup>

DOI: 10.1039/d0an90091e  
[rsc.li/analyst](https://rsc.li/analyst)

Correction for 'A capillary-based fluorimetric platform for the evaluation of glucose in blood using gold nanoclusters and glucose oxidase in the ZIF-8 matrix' by Luping Feng et al., *Analyst*, 2020, **145**, 5273–5279, DOI: 10.1039/D0AN01090A.

The authors regret that the affiliations of Jiani Yang, Sheng Zhang, Xi Chen, Pan Li, Yuan Gao and Shujing Xie were shown incorrectly in the original manuscript. The corrected list of affiliations is as shown in this Correction article.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>Institute of Medicine and Materials Applied Technologies, College of Chemistry and Chemical Engineering, Qufu Normal University, Qufu, Shandong 273165, P. R. China. E-mail: huawang@qfnu.edu.cn; <http://wang.qfnu.edu.cn>; Tel: +86 537 4456306

<sup>b</sup>School of Chemistry and Chemical Engineering, Harbin Institute of Technology, Harbin, Heilongjiang 150090, P. R. China

<sup>c</sup>School of Environment, Harbin Institute of Technology, Harbin, Heilongjiang 150090, P. R. China

<sup>d</sup>College of Chemistry and Bioengineering, Guilin University of Technology, Guilin 541004, P. R. China. E-mail: zy@glut.edu.cn

