


 Cite this: *Chem. Commun.*, 2020, 56, 2211

DOI: 10.1039/d0cc90020f

rsc.li/chemcomm



## Correction: Diastereoselective synthesis of 1,3-disubstituted isoindolines and sultams via bronsted acid catalysis

Ye Tao and Scott R. Gilbertson\*

 Correction for 'Diastereoselective synthesis of 1,3-disubstituted isoindolines and sultams via bronsted acid catalysis' by Ye Tao *et al.*, *Chem. Commun.*, 2018, **54**, 11292–11295.


The authors regret that the intermediates identified as **21** and **23**, **25**, **26**, **27**, **28** and **29** in Schemes 3–5 and Table 2 are not alkynes as indicated in the original article, but rather cyclized 5-member rings with an exocyclic double bond. The subsequent reaction with triethylsilane then provides the title compounds by diastereoselective reduction. Corrected versions of Table 2 and Schemes 3–5 are shown below. The structures have also been corrected in the ESI of the original article, which is available online.

In addition, a corrected version of the graphical abstract is shown below.




Scheme 3 Synthesis of chiral starting material.






Scheme 4 Pyrrrolidine formation.



Scheme 5 Synthesis of sultams.



Table 2 Cyclization with loss of nitrogen group



Entry	SM	product	yield
1			98%
2			67%
3			76%
4			82%
5			96%
6			90%

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

