



Cite this: *Chem. Commun.*, 2020, 56, 2055

DOI: 10.1039/d0cc90028a

[rsc.li/chemcomm](http://rsc.li/chemcomm)

## Correction: Substrate-free and label-free electrocatalysis-assisted biosensor for sensitive detection of microRNA in lung cancer cells

Lin Cui,<sup>a</sup> Meng Wang,<sup>a</sup> Bing Sun,<sup>\*b</sup> Shiyun Ai,<sup>c</sup> Shaocong Wang<sup>a</sup> and Chun-yang Zhang<sup>\*a</sup>

Correction for 'Substrate-free and label-free electrocatalysis-assisted biosensor for sensitive detection of microRNA in lung cancer cells' by Lin Cui *et al.*, *Chem. Commun.*, 2019, **55**, 1172–1175.

The published zipcode for affiliation b was incorrect in the published article and the correct version is shown here.  
 The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> College of Chemistry, Chemical Engineering and Materials Science, Collaborative Innovation Center of Functionalized Probes for Chemical Imaging in Universities of Shandong, Key Laboratory of Molecular and Nano Probes, Ministry of Education, Shandong Provincial Key Laboratory of Clean Production of Fine Chemicals, Shandong Normal University, Jinan 250014, China. E-mail: [cyzhang@sdu.edu.cn](mailto:cyzhang@sdu.edu.cn); Fax: +86-531-82615258; Tel: +86-531-86186033

<sup>b</sup> School of Science, China University of Geosciences (Beijing), Beijing 100083, China. E-mail: [sunbing@cugb.edu.cn](mailto:sunbing@cugb.edu.cn); Tel: +86-10-82322758

<sup>c</sup> College of Chemistry and Material Science, Shandong Agricultural University, Taian 271018, China

