








## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)

Cite this: *Dalton Trans.*, 2020, **49**, 4578

## Correction: Ionic-caged heterometallic bismuth–platinum complex exhibiting electrocatalytic CO<sub>2</sub> reduction

Takefumi Yoshida, <sup>\*a</sup> Habib Md. Ahsan, <sup>\*a,b</sup> Hai-Tao Zhang,<sup>a</sup> David Chukwuma Izuogu, <sup>a,c,d</sup> Hitoshi Abe, <sup>e,f</sup> Hiroyoshi Ohtsu, <sup>g</sup> Tadashi Yamaguchi, <sup>h</sup> Brian K. Breedlove, <sup>a</sup> Alex J. W. Thom<sup>d</sup> and Masahiro Yamashita<sup>\*a,i,j</sup>

DOI: 10.1039/d0dt90053b  
[rsc.li/dalton](https://rsc.li/dalton)

Correction for 'Ionic-caged heterometallic bismuth–platinum complex exhibiting electrocatalytic CO<sub>2</sub> reduction' by Takefumi Yoshida *et al.*, *Dalton Trans.*, 2020, **49**, 2652–2660.

The authors regret omitting an explanation of XAFS in the Experimental section, Acknowledgments and References. The following additions do not affect any other part of the original article.

## Experimental

### XAFS measurement

X-ray absorption fine structure (XAFS) measurements were collected on the BL12C and NW10A beamlines in the Photon Factory (PF) and the Photon Factory Advanced Ring (PF-AR) of the High Energy Accelerator Research Organization (KEK), under proposal no. 2017P016, 2019G117. Analysis was performed using the Demeter software platform.<sup>1</sup>

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

## Acknowledgements

The X-ray absorption fine structure was collected on the BL12C and NW10A beamlines in the Photon Factory (PF) and the Photon Factory Advanced Ring (PF-AR) of the High Energy Accelerator Research Organization (KEK, proposal no. 2017P016, 2019G117).

## References

- 1 B. Ravel and M. Newville, *J. Synchrotron Radiat.*, 2005, **12**, 537–541.

<sup>a</sup>Department of Chemistry, Graduate School of Science, Tohoku University, 6-3 Aza-aoba, Aramaki, Sendai 980-8578, Japan. E-mail: [takefumi.yoshida.b7@tohoku.ac.jp](mailto:takefumi.yoshida.b7@tohoku.ac.jp)

<sup>b</sup>Chemistry Discipline, Khulna University, Khulna-9208, Bangladesh

<sup>c</sup>Department of Pure & Industrial Chemistry, University of Nigeria, 410001 Nsukka, Nigeria

<sup>d</sup>Department of Chemistry, University of Cambridge, Lensfield Road, Cambridge, CB2 1EW, UK

<sup>e</sup>Institute of Materials Structure Science, High Energy Accelerator Research Organization (KEK), 1-1 Oho, Tsukuba, Ibaraki 305-0801, Japan

<sup>f</sup>Department of Materials Structure Science, School of High Energy Accelerator Science, SOKENDAI (the Graduate University for Advanced Studies), 1-1 Oho, Tsukuba, Ibaraki 305-0801, Japan

<sup>g</sup>Department of Chemistry, School of Science, Tokyo Institute of Technology, 2-12-1 Ookayama, Meguro-ku, Tokyo 152-8550, Japan

<sup>h</sup>Department of Chemistry and Biochemistry, School of Advanced Science and Engineering, Waseda University, 3-4-1 Okubo, Shinjuku, Tokyo 169-8555, Japan

<sup>i</sup>WPI-Advanced Institute for Materials Research, Tohoku University, 2-1-1 Katahira, Sendai 980-8577, Japan

<sup>j</sup>School of Materials Science and Engineering, Nankai University, Tianjin 300350, China

