



Cite this: *J. Anal. At. Spectrom.*, 2020, 35, 1496

Correction: Micro-destructive analysis with high sensitivity using double-pulse resonant laser-induced breakdown spectroscopy

Zhiyang Tang,^a Ran Zhou,^a Zhongqi Hao,^{*a} Shixiang Ma,^a Wen Zhang,^a Kun Liu,^a Xiangyou Li,^a Xiaoyan Zeng^a and Yongfeng Lu^b

DOI: 10.1039/d0ja90047h

rsc.li/jaas

Correction for 'Micro-destructive analysis with high sensitivity using double-pulse resonant laser-induced breakdown spectroscopy' by Zhiyang Tang *et al.*, *J. Anal. At. Spectrom.*, 2019, 34, 1198–1204, DOI: 10.1039/C9JA00072K.

The authors regret an error in the affiliation of one of the authors, Yongfeng Lu, in the original manuscript. The correct affiliation is: University of Nebraska–Lincoln (UNL) and not Wuhan National Laboratory for Optoelectronics (WNLO) at the Huazhong University of Science and Technology (HUST). The corrected list of authors and affiliations for this paper is as shown above.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aWuhan National Laboratory for Optoelectronics (WNLO), Huazhong University of Science and Technology, 1037 Luoyu Road, Wuhan, Hubei 430074, PR China. E-mail: hzq@hust.edu.cn

^bDepartment of Electrical and Computer Engineering, University of Nebraska, Lincoln, NE, 68588-0511, USA

