



Cite this: *Lab Chip*, 2020, 20, 3474

## Correction: On-chip stool liquefaction *via* acoustofluidics

Shuaiguo Zhao,<sup>a</sup> Weihua He,<sup>ab</sup> Zhehan Ma,<sup>ac</sup> Peiyao Liu,<sup>ab</sup> Po-Hsun Huang,<sup>a</sup> Hunter Bachman,<sup>a</sup> Lin Wang,<sup>d</sup> Shujie Yang,<sup>a</sup> Zhenhua Tian,<sup>a</sup> Zeyu Wang,<sup>a</sup> Yuyang Gu,<sup>a</sup> Zhemiao Xie<sup>a</sup> and Tony Jun Huang<sup>\*a</sup>

DOI: 10.1039/d0lc90095h

rsc.li/loc

Correction for 'On-chip stool liquefaction *via* acoustofluidics' by Shuaiguo Zhao *et al.*, *Lab Chip*, 2019, 19, 941–947, DOI: 10.1039/C8LC01310A.

A relevant conflict of interest was not disclosed in the original article. The corrected conflict of interest statement for this article is shown below.

### Conflicts of interest

T. J. H. has co-founded a start-up company, Ascent Bio-Nano Technologies Inc., to commercialize technologies involving acoustofluidics and acoustic tweezers.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Department of Mechanical Engineering and Materials Science, Duke University, Durham, NC 27708, USA. E-mail: tony.huang@duke.edu

<sup>b</sup> Department of Precision Instrument, Tsinghua University, Beijing 100084, China

<sup>c</sup> School of Life Science, Tsinghua University, Beijing 100084, China

<sup>d</sup> Ascent Bio-Nano Technologies, Inc., Research Triangle Park, NC 27709, USA

