Materials Horizons



CORRECTION

View Article Online
View Journal | View Issue



Cite this: *Mater. Horiz.*, 2020, 7, 2460

Correction: Epoxy resin with exchangeable disulfide crosslinks to obtain reprocessable, repairable and recyclable fiber-reinforced thermoset composites

Alaitz Ruiz de Luzuriaga, PROBERTO Martin, Nerea Markaide, Alaitz Rekondo, FROMENTA REMONDO PROBERTO PROBERTO PROBERTO PROBER PROBERTO PRO

DOI: 10.1039/d0mh90047h

rsc.li/materials-horizons

Correction for 'Epoxy resin with exchangeable disulfide crosslinks to obtain reprocessable, repairable and recyclable fiber-reinforced thermoset composites' by Alaitz Ruiz de Luzuriaga *et al.*, *Mater. Horiz.*, 2016, **3**, 241–247, DOI: 10.1039/C6MH00029K.

The authors have detected an error in the calculation of the activation energy and vitrimer temperature. In Fig. 1b, $\log \tau$ should be plotted on the y axis instead of $\ln \tau$. Due to this error, the calculated activation energy is incorrect and the energy should be multiplied by 2.3 ($1/\log e$). The correct activation energy is 126.5 KJ mol⁻¹ and the correct calculated vitrimer temperature is 75 °C. The authors apologise for this error and state that this error does not affect any of the scientific findings and interpretations.

A detailed list of changes is provided as follows:

- The correct version of Fig. 1b is shown below
- On page 243, "From this equation, an activation energy (E_a) of 55 kJ mol⁻¹ was calculated for the dynamic epoxy network 5. Such activation energy is lower than other reported systems..." should be changed to "From this equation, an activation energy (E_a) of 126 kJ mol⁻¹ was calculated for the dynamic epoxy network 5. Such activation energy is similar to other reported systems..."
- On page 243, "For our dynamic epoxy system 5, the hypothetical $T_{\rm v}$ value obtained was -13 °C, which is well below its $T_{\rm g}$ (127 °C from DSC)." should be changed to "For our dynamic epoxy system 5, the hypothetical $T_{\rm v}$ value obtained was 75 °C, which is well below its $T_{\rm g}$ (127 °C from DSC)."

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

Correction




Fig. 1 (b) Fitting of the relaxation times to the Arrhenius' equation (R-square = 0.946).