

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)


Cite this: *Org. Biomol. Chem.*, 2020, **18**, 6965

Correction: *tert*-Butylhydroperoxide (TBHP) mediated oxidative cross-dehydrogenative coupling of quinoxalin-2(1*H*)-ones with 4-hydroxycoumarins, 4-hydroxy-6-methyl-2-pyrone and 2-hydroxy-1,4-naphthoquinone under metal-free conditions

Suraj Sharma,^{a,b} Nibedita Baruah Dutta,^{a,b,c} Mayurakhi Bhuyan,^{a,b} Babulal Das^d and Gakul Baishya^{*a,b}

Correction for '*tert*-Butylhydroperoxide (TBHP) mediated oxidative cross-dehydrogenative coupling of quinoxalin-2(1*H*)-ones with 4-hydroxycoumarins, 4-hydroxy-6-methyl-2-pyrone and 2-hydroxy-1,4-naphthoquinone under metal-free conditions' by Suraj Sharma *et al.*, *Org. Biomol. Chem.*, 2020, **18**, 6537–6548, DOI: 10.1039/D0OB01304H.

DOI: 10.1039/d0ob90117b

rsc.li/obc

The authors regret that the captions for Schemes 4 and 5 were inadvertently switched. The schemes are shown below with the correct captions.


^aChemical Science & Technology Division, CSIR-North East Institute of Science and Technology, Jorhat-785006, India. E-mail: b.gakul@gmail.com; Fax: +913762370011; Tel: +913762372948

^bAcademy of Scientific and Innovative Research, Ghaziabad, Uttar Pradesh-201002, India


^cRain Forest Research Institute, Jorhat-785001, India

^dDepartment of Chemistry, Indian Institute of Technology Guwahati, India





Scheme 4 Control experiments.



Scheme 5 Plausible reaction mechanism.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

