



Cite this: *RSC Adv.*, 2020, 10, 8054

DOI: 10.1039/d0ra90016h

rsc.li/rsc-advances

Correction: Synthesis of a furfural-based DOPO-containing co-curing agent for fire-safe epoxy resins

Wei qi Xie,^a Shiwen Huang,^a Donglin Tang,^a Shumei Liu^{*ab} and Jianqing Zhao^{*ab}

Correction for 'Synthesis of a furfural-based DOPO-containing co-curing agent for fire-safe epoxy resins' by Wei qi Xie *et al.*, *RSC Adv.*, 2020, 10, 1956–1965.

The authors regret that an incorrect version of Fig. 8 was included in the original article. This was due to FTIR spectra of the commercial reference sample (DGEBA/DDM, EP-0) being confused with those of other samples. The correct version of Fig. 8 is presented below.




Fig. 8 FTIR spectra of the pyrolysis products of EP-0 and EP-4.0 at (a) the initial and (b) maximum degradation temperatures.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aSchool of Materials Science and Engineering, South China University of Technology, Guangzhou, 510640, P. R. China. E-mail: liusm@scut.edu.cn; psjqzhao@scut.edu.cn; Fax: +86-13611400566; +86-13609724000; Tel: +86-13611400566; +86-13609724000

^bKey Laboratory of Polymer Processing Engineering, Ministry of Education, Guangzhou 510640, P. R. China

