



Cite this: *RSC Adv.*, 2020, 10, 24243

## Correction: A sensitive OFF–ON–OFF fluorescent probe for the cascade sensing of $\text{Al}^{3+}$ and $\text{F}^-$ ions in aqueous media and living cells

Lingjie Hou,<sup>ac</sup> Wenting Liang,<sup>\*b</sup> Chenhua Deng,<sup>ac</sup> Caifeng Zhang,<sup>ac</sup> Bo Liu,<sup>d</sup> Shaomin Shuang<sup>b</sup> and Yu Wang<sup>\*b</sup>

DOI: 10.1039/d0ra90067b

rsc.li/rsc-advances

Correction for 'A sensitive OFF–ON–OFF fluorescent probe for the cascade sensing of  $\text{Al}^{3+}$  and  $\text{F}^-$  ions in aqueous media and living cells' by Lingjie Hou *et al.*, *RSC Adv.*, 2020, 10, 21629–21635, DOI: 10.1039/D0RA02848G.

The authors regret that an incorrect version of Fig. 4 was included in the original article. The correct version of Fig. 4 is presented below.




Fig. 4 The ESI-MS spectrum of  $\text{Al}^{3+}$ –HNS complex.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>Department of Chemistry, Taiyuan Normal University, Jinzhong 030619, P. R. China

<sup>b</sup>Department of Chemistry, Institute of Environmental Science, Shanxi University, Taiyuan 030006, P. R. China. E-mail: liangwt@sxu.edu.cn; wangyu1168@sxu.edu.cn

<sup>c</sup>Humic Acid Engineering and Technology Research Center of Shanxi Province, Jinzhong 030619, P. R. China

<sup>d</sup>National Institutes for Food and Drug Control, Beijing 100050, P. R. of China

