Chemical Science

CORRECTION

Check for updates

Correction: O^2-3-Aminopropyl diazeniumdiolates suppress the progression of highly metastatic triple-negative breast cancer by inhibition of microvesicle formation *via* nitric oxide-based epigenetic regulation

Fenghua Kang,[a] Jiayi Zhu,[a] Jianbing Wu,[a] Tian Lv,[a] Hua Xiang, [b] Jide Tian,[c] Yihua Zhang [*a] and Zhangjian Huang [*a]

Correction for 'O^2-3-Aminopropyl diazeniumdiolates suppress the progression of highly metastatic triple-negative breast cancer by inhibition of microvesicle formation *via* nitric oxide-based epigenetic regulation' by Fenghua Kang *et al.*, *Chem. Sci.*, 2018, **9**, 6893–6898.

The authors regret that in the original article two incorrect images were used in Fig. 4b for representing migration tumor cells in the control and TGF-β + **3f** (20 nM) groups, and two incorrect images were used in Fig. 4c for representing invasive tumor cells in the TGF-β + **3f** (10 nM) and TGF-β + **3f** (20 nM) groups.

ªState Key Laboratory of Natural Medicines, Jiangsu Key Laboratory of Drug Discovery for Metabolic Diseases, Center of Drug Discovery, China Pharmaceutical University, Nanjing 210009, China. E-mail: zyhtgd@163.com; zhangjianhuang@cpu.edu.cn

ᵇDepartment of Medicinal Chemistry, School of Pharmacy, China Pharmaceutical University, Nanjing 210009, China

*ᶜDepartment of Molecular and Medical Pharmacology, University of California, Los Angeles, California 90095, USA*

Fig. 4 (a) **3f** inhibited adhesion of MDA-MB-231 cells to HUVECs: fluorescence microscopy showed MDA-MB-231 cells (green) adhered to the HUVECs. **$P < 0.01$. (b) **3f** inhibited migration of MDA-MB-231 cells. (c) **3f** inhibited invasion of MDA-MB-231 cells. (d) **3f** inhibited lateral migration of MDA-MB-231 cells. Data are shown as mean ± SD from each group. Scale bars, 100 μm.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.