

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *Anal. Methods*, 2021, 13, 563

DOI: 10.1039/d0ay90168g

[rsc.li/methods](https://rsc.li/methods)

## Correction: ZIF-8-modified Au–Ag/Si nanoporous pillar array for active capture and ultrasensitive SERS-based detection of pentachlorophenol

Lingling Yan, Peng Yang, Hongxin Cai,\* Liang Chen, Yongqiang Wang and Ming Li\*

Correction for 'ZIF-8-modified Au–Ag/Si nanoporous pillar array for active capture and ultrasensitive SERS-based detection of pentachlorophenol' by Lingling Yan *et al.*, *Anal. Methods*, 2020, 12, 4064–4071, DOI: 10.1039/D0AY00388C.

The authors regret that an incorrect grant number was shown in the acknowledgements section of the published article. The corrected section should read:

This work was financially supported by the National Natural Science Foundation of China (No. 61705062), by the Fundamental Research Funds for the Universities of Henan Province (No. NSFRF180331), and by the Programs of Henan Polytechnic University (No. J2017-4 and B2013-047).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

